



Rough Terrain Scissor Lifts

LGMG

LGMG North America Inc.

ELECTRIC MOTOR DRIVE

SR3369E Scissor Lift (Rough Terrain)

- Our Rough Terrain scissors are powerful with large platforms for high capacity and efficient outdoor use
- Automatic leveling function enables the machine to work on a slope up to 7° and gives operators a stable work platform
- Closed cycle hydraulic driving system with high-efficiency operations and quick response capabilities keep you on the jobsite longer
- Precise weighing system with pressure sensor and overload alarm function



Product Specifications SR3369E

Platform Capacity	800 lbs
Platform Occupants(Indoor/Outdoor)	4/2
Platform Height	33'
Machine Wheelbase	7' 6"
Platform Width	5'
Machine Height (Rails Up)	8' 4"
Machine Height (Rails Down)	6' 10"
Platform Length	9' 2"
Platform Extension (Single)	14' 5"
Machine Width	5' 9"
Deck Extension Capacity	310 lbs
Drive Speed (Lowered)	3.8 Mph
Drive Speed (Elevated)	0.3 Mph
Drive Mode	4x2
Power	(8) 6V x 258Ah
Lift Time	61 Secs
Lower Time	55 Secs
Gradeability	35%
Ground Clearance - Center	6.5"
Machine Weight	9,877 lbs

ANSI A92.20 Compliant



LGMG North America Inc.

Address: 1445 Sheffler Drive, Chambersburg PA 17201

Email: sales@lmgna.com

Local Sales Contact:

ELECTRIC MOTOR DRIVE

SR4069E Scissor Lift (Rough Terrain)

- Our Rough Terrain scissors are powerful with large platforms for high capacity and efficient outdoor use
- Automatic leveling function enables the machine to work on a slope up to 7° and gives operators a stable work platform
- Closed cycle hydraulic driving system with high-efficiency operations and quick response capabilities keep you on the jobsite longer
- Precise weighing system with pressure sensor and overload alarm function

Product Specifications SR4069E

Platform Capacity	800 lbs
Platform Occupants(Indoor/Outdoor)	3/2
Platform Height	40'
Machine Wheelbase	7' 6"
Platform Width	5' 3"
Machine Height (Rails Up)	9'
Machine Height (Rails Down)	6' 10"
Platform Length	9' 2"
Platform Extension (Single)	14' 1"
Machine Width	5' 9"
Deck Extension Capacity	310 lbs
Drive Speed (Lowered)	3.8 Mph
Drive Speed (Elevated)	0.3 Mph
Drive Mode	4x2
Power	(8) 6V x 258Ah
Lift Time	61 Secs
Lower Time	55 Secs
Gradeability	35%
Ground Clearance - Center	8.5"
Machine Weight	12,125 lbs



ANSI A92.20 Compliant



LGMG North America Inc.

Address: 1445 Sheffler Drive, Chambersburg PA 17201

Email: sales@lmgna.com

Local Sales Contact: